

# EDD



NOTES:  
UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE  $\pm .010"$  [.254mm].

DRAWING NO.:

81A8004B\*F

REV.

C



MATERIALS:

SUBSTRATE: ALUMINA

SUBSTRATE: ALUMINA  
RESISTIVE FILM: THIN FILM

PROTECTIVE COATING: POLYMER

FINISH:

RoHS COMPLIANT

SOLDERABLE TERMINALS: PLATED SILVER/NICKEL


## TECHNICAL:

AVERAGE POWER: 2 WATTS

DC RESISTANCE: 5 TO 250 OHMS  $\pm$  1% OR 5%

TEMPERATURE COEFFICIENT:  $\pm 200$  PPM/ $^{\circ}\text{C}$  MAX

OPERATING TEMPERATURE: -55°C TO +150°C

				ECN# 06-F0772	APVD —	DATE —	REFERENCE  CATALOG		 8851 OLD KANSAS AVE. STUART, FL. 34997 772-286-9300		
				<div>UNLESS OTHERWISE SPECIFIED</div> <div>1. DO NOT SCALE DRAWING</div> <div>2. DIMENSIONS ARE IN INCHES</div> <div>3. DIMENSIONS ARE AFTER PLATING</div> <div>4. CORNERS, EDGES AND FILLETS: R</div> <div>5. SURFACE ROUGHNESS: MAX</div> <div>6. REMOVE ALL BURRS</div>			MATERIAL  —		TITLE  CHIP, RESISTOR, 2 WATT		
							FINISH  —				
C	11-0225	RS 03/07/11		<div>TOLERANCES</div> <div>.X ±</div> <div>.XX ±</div> <div>.XXX ±</div> <div>ANGLES X° ±</div>							
C	08-F0542	OJC 06/12/08									
B	07-F1258	OJC 05/30/08		THE INFORMATION CONTAINED HEREIN IS: (A) CONSIDERED PROPRIETARY TO FLORIDA RF LABS INC.; (B) PROTECTED BY COPYRIGHT OWNED BY FLORIDA RF LABS INC.; (C) CONSIDERED A "WORK FOR HIRE" UNDER COPYRIGHT LAW; (D) PROTECTED BY TRADE SECRET LAWS WHICH MAKE ILLEGAL THE MISAPPROPRIATION OF THIS INFORMATION; AND (E) IS TO BE USED SOLELY FOR THE PURPOSE WHICH IT IS SUPPLIED. THIS INFORMATION SHALL NOT BE DISCLOSED IN WHOLE OR IN PART, TO ANY PARTY, FOR ANY REASON WITHOUT THE EXPRESS WRITTEN CONSENT OF A QUALIFIED EXECUTIVE OF FLORIDA RF LABS INC.							
A	08-F0356	KHS 5/12/08									
REV.	DESCRIPTION	DRAWN	APVD.				SCALE 10/1	CAGE CODE ID NO. 2Y194	SIZE A	DRAWING NO.: 81A8004B*F	REV. C
							MFG: —	CHKD.: —		DRAWN: CRH 09/07/06	SHEET 1 OF 1